# Veo3 Public Manifest

March 17, 2022

## 2022-03-17 Veo3 4.5.2

### **New Features**

None

### **Fixed Issues**

**2762** Spurious noise fix for PA + long range setup.

 ${\bf 4567}\,$  It fixes data issues with IFT and C-scan views.

4572 Preventing issue for touch-screen interactions and custom focal law new setup wizard.

### Known Issues

**3700** Bottom Right Row probe element layout is fixed using the wedge angle wizard.

4467 The TFM could glitch at pause.

4547 The touchscreen may stop working when a VNC session has been closed.

### 2021-10-22 Veo3 4.5.1

### **New Features**

None

### **Fixed Issues**

 ${\bf 4557}\,$  Any valid TFM apertures beyond the 65th element now work.

4558 TFM MC-scan view is empty in live/record mode.

#### Known Issues

3700 Bottom Right Row probe element layout is fixed using the wedge angle wizard.

4467 The TFM could glitch at pause.

4547 The touchscreen may stop working when a VNC session has been closed.

## 2021-10-12 Veo3 4.5.0

### **New Features**

**2828** The user can import focal laws under the inspection tab.

**3644** .law filename is displayed in the Inspection tab.

3650 Utstudio+, Veo+ and Veo3 supports .law (and .pte) CIVA files.

- 4242 Custom focal laws do not work with the "no wedge" setting.
- 4309 The custom focal law persists when you reload that utcfg.
- 4412 There is a unique color to each TFM scan. The TFM scan tab colour is the same as its TFM ROI box.
- 4426 For an ezDGS probe, you can now edit its refracted angle.
- 4436 Top and End views get new extraction resolution parameters. (Under view properties)
- 4448 The interface uses ROI (Region of Interest) terminology. ("ZOI" has been replaced by "ROI")
- 4450 New TFMi scan type: Keep Max operator.
- 4456 AUTO FSH function button is disabled with Product TFMi.
- 4459 6T and 7T propagation modes have been added. (also available in TFMi scans)
- 4461 New X6BW flat .utwedge files.
- 4464 Probe and Velocity wizard is disabled in TFMi scans.
- 4469 New D1B flat wedges.
- 4471 New StarTech WiFi dongle support.
- 4495 The Wedge Angle Wizard check has been moved to the Wedge tab.
- 4535 There are new X2B probes and wedges.
- 4183 Utstudio+, Veo+ and Veo3 supports .law ES BeamTool files.
- 4390 New TFMi scan type: Product operator.
- 4402 Faster ROI computing; Spinner included.

#### **Fixed Issues**

- 4284 New behaviour: All the WiFi previous settings are saved.
- 4314 Cartesian cursors in MC-scan view: Index and scan position readings fixed.
- 4364 The part overlay "W" shortcut is fixed.
- 4366 Focus goes to the menus once you loaded a probe or a wedge.
- **4387** For curved surfaces geometries, the location of the probe in the 3D view, may sometimes be out of boundaries.
- 4396 Curved surface inspection in conventional UT; The user must manually update the "Contact Surface" parameter.
- 4400 Unsaved IFT culling and circular ruler parameters are fixed.
- 4418 Issue with the propagation mode parameter while using the Autofit A-scan in the FMC scan
- 4429 Live TFM merged c-scan data is not displayed properly in play mode
- 4443 Conflict with SMC TFM and Max PRF is fixed.
- 4468 Probe and Wedge media browsing is faster with TFM scans.
- 4490 Extra image sensitivity levels: 32x and 64x. (exclusive to product TFMi)

#### Known Issues

- 3700 Bottom Right Row probe element layout is fixed using the wedge angle wizard.
- 4467 The TFM could glitch at pause.
- 4547 The touchscreen may stop working when a VNC session has been closed.
- 4557 Any valid TFM apertures beyond the 65th element do not work.
- 4558 TFM MC-scan view is empty in live/record mode but in analysis

### 2021-04-07 Veo3 4.4.0

### **New Features**

 $\mathbf{3688}$  Update of the D1S probe dimensions

3725 New Hilbert envelope on live TFM scan

3771 Up to 6 live TFM modes simultaneously

3843 New Time Corrected Gain (TCG) for live TFM

3844 New velocity and zero wizard for live TFM Scan

**3857** New sensitivity setting for live TFM scan

3867 New sparse matrix capture (Fast TFM) functionality

3876 New simultaneously multitechnique scan (Phased-array, TFM, TOFD)

3904 Up to 64 elements aperture in live TFM scan

**3914** New amplitude fidelity wizard for TFM scan

3948 New TFM configuration templates

 $\mathbf{3950}$  New 5T TFM propagation mode

4069 New multitechnique layout

4115 New touchscreen and keypad

4308 New Xpair update

3796 Total Focusing method (TFM) is now available

### **Fixed Issues**

3687 New probe in UTstudio+ have all elements activated by default

3694 TCG is not reset when the start path is moved beyond the first point

3717 TCG curve interpolation improvement when a TCG point is outside of the scan

4223 Pulse width value of the MSEB4 probe has been updated.

4259 In extreme configurations, the phased-array PRF could, because of an issue, be applied on the UT channel.

### Known Issues

4418 Issue with the propagation mode parameter while using the Autofit A-scan in the FMC scan

4429 Live TFM merged c-scan data is not displayed properly in play mode